**To:** Field, Jeff[Field.Jeff@epa.gov]; Peterson, Mary[Peterson.Mary@epa.gov]

Cc: Mahler, Tom[mahler.tom@epa.gov]

From: Vann, Bradley

**Sent:** Fri 7/10/2015 2:35:49 PM

Subject: FW: pyrolysis call

WLLS - Pyrolysis Sampling DQOs DRAFT FOR DISCUSSION 2015 07 07 for SwRI.pdf WLLS - Pyrolysis Sampling DQOs DRAFT FOR DISCUSSION 2015 07 07 for SwRI.xlsx

Jeff/Mary,

Working on setting up the SWRI call for Tuesday and will send out appointment once determined. Here is the most current version of the DQOs under development. I've also copied Tom as he may be getting pulled into this action item for the site as it goes forward.

Thanks.

Bradley Vann - Remedial Project Manager

U.S. Environmental Protection Agency

Superfund Division

Missouri/Kansas Remedial Branch

11201 Renner Blvd.

Lenexa, KS 66219

Phone: 913-551-7611

Fax: 913-551-9611

Cell: 816-714-0331

From: Monnig, Rob [mailto:rob.monnig@tetratech.com]

**Sent:** Thursday, July 09, 2015 2:54 PM

To: Vann, Bradley Cc: Faile, Ted

Subject: pyrolysis call

Hi Brad,

It slipped my mind when you called that I'll be out of pocket on Monday taking a credentialing exam. I have a call and email into Mike Dammann with SwRI to see if he's available for a call on Tuesday. I'll let you know when I hear back.

Also, here's the latest DQO table that I shared with SwRI to get their input and to get them started on drafting procedures. The last column on the spreadsheet is probably of most interest to Mary and Jeff—it describes what we plan to infer (and not infer) from the results.

## Rob

Rob Monnig, PE | Chemical Engineer

415 Oak Street |Kansas City, Missouri 64106 | <u>www.tetratech.com</u> Direct: 816.412.1775 | Main: 816.412.1741 | Mobile: 816.729.5621 | Fax: 816.410.1748

Tetra Tech | Complex World, Clear Solutions™

PLEASE NOTE: This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.